


| Rif./Ref. | Codice/Code | Sigla /Features | Descrizione/Description |
|-----------|-------------|--------------------|-------------------------|
| 1 | SL0762 | | Cable clamp |
| 2 | SL3382 | Green | Plate |
| 3 | SL3375 | (FX40) | Insert |
| 4 | SL3442 | Green (FX42S) | Insert |
| + 5 | SL0757 | | Push button |
| 6 | SL3374 | Green | Covering |
| 7 | SL3373 | Green | Covering |
| 8 | SL3381 | Green | Tap |
| 9 | SL3380 | Green | Tap |
| 10 | SL3378 | Green | Tap |
| 11 | SL3379 | Green | Tap |
| + 12 | SL2899 | 230V/1Ph/50-60Hz | Motor |
| + 13 | SA1063 | | Joint |
| 14 | SL3611 | | Insert |
| 15 | SL3612 | Green | Flange |
| + 16 | SL0739 | (FX40) | Gear |
| 17 | SL0746 | ø8xø18x6 | Oil seal |
| 18 | SL0740 | | Bush |
| + 19 | SL0271 | 608H ZZ inox | Bearing |
| 20 | SA1002 | Assembly (FX40) | Support |
| + 21 | SA8900 | (FX40) | Gear |
| + 22 | SA8800 | (FX40) | Gear |
| 23 | SL0733 | (FX40) | Box |
| + 24 | SL0743 | (FX40) | Whisk |
| 25 | SL0976 | L=300mm | Shaft |
| 25 | SL0776 | L=400mm (standard) | Shaft |
| 25 | SL0978 | L=500mm | Shaft |
| 25 | SL0979 | L=600mm | Shaft |
| 26 | SL0741 | | Support |
| 27 | SL3391 | | Locking ring |
| 28 | SL0879 | | Bush |
| 29 | SL0773 | OR 129 | O-ring |

| Rif./Ref. | Codice/Code | Sigla /Features | Descrizione/Description | |
|-----------|-------------|-----------------------------|-------------------------|-----------------|
| 30 | SL0972 | L=300mm | Tube | |
| 30 | SL0747 | L=400mm (standard) | Tube | |
| 30 | SL0974 | L=500mm | Tube | |
| 30 | SL0975 | L=600mm | Tube | |
| 31 | SL3415 | | Protection | |
| 32 | SL1454 | ø8xø18x7 | Oil seal | |
| 33 | SL0777 | | Disk | |
| 34 | SL0772 | V-8-S | V-ring | |
| + | 35 | SL0744 | Cutter | |
| 36 | ME4030 | L=300mm assembly | Mixer tool | |
| 36 | ME4040 | L=400mm assembly (standard) | Mixer tool | |
| 36 | ME4050 | L=500mm assembly | Mixer tool | |
| 36 | ME4060 | L=600mm assembly | Mixer tool | |
| 37 | FRUSTAFM3 | Assembly (FX40) | Whisk tool | |
| 38 | SL3376 | (FX40) | Knob | |
| + | 39 | SL2997 | 230V/1Ph/50-60Hz (FX40) | Electronic card |
| 40 | SL0771 | | Accessory stand | |
| + | 41 | SL3843 | Brush | |
| 42 | SL0753 | | Pin | |



8 (800) 500-34-47
 www.platonservice.com

