

CODE	DESCRIPTION	PRICE €
00080	RUBINETTO DI SCARICO - OIL DRAINAGE COCK - ÖL ABLAUFHAHN - ROBINET DE DECHARGE - CAÑO DE EVACUACIÓN	29,34
00118	* TERMOCOPPIA - THERMOCOUPLE - THERMOELEMENT - THERMOCOUPLE - TERMOPAR	7,05
00120	CANDELETTA DI ACCENSIONE - SPARK PLUG - ZÜNDKERZE - BOUGIE D'ALLUMAGE - BUJÍA DE ENCENDIDO	6,75
00123	CAVO PER CANDELETTA - WIRE FOR SPARK PLUG - KABEL ZU ZÜNDKERZE - CABLE POUR BOUGIE - CABLE PARA BUJÍA	5,86
00128	* ACCENDITORE PIEZO - PIEZOIGNITER - PIEZOZÜNDER - ALLUMEUR PIEZO - ENCEDEDOR PIEZO	9,11
00311	PIEDINO H.25mm - FOOT - Fuß - PIED - PIECECILLO	1,16
00434	UGELLO Ø1.45 metano L 25Mbar-NOZZLE - DÜSE - TUYERE - INYECTOR	1,77
00435	BY PASS Ø0.20 GPL 28-30/37Mbar, GPL 50Mbar -BY PASS - KLEINSTELLUNGSDÜSE - INJECTEUR DU MINIMUM - INYECTOR	2,35
00436	BY PASS Ø0.35 metano H/E/E+20/25Mbar, metano L 25Mbar, metano L 20Mbar - BY PASS - KLEINSTELLUNGSDÜSE - INJECTEUR DU MINIMUM - BY PASS	1,77
00440	BRUCIATORE - BURNER - BRENNER - BRULEUR - QUEMADOR	50,18
00445	PILOTA - PILOT - PILOT - PILOTE - PILOTO	11,44
00446	* VALVOLA GAS - GAS VALVE - GASVENTIL - SOUPAPE GAZ - VÁLVULA DEL GAS	114,74
00447	ADATTATORE - ADAPTER - KNEBEL ADAPTER - ADAPTATEUR - ADAPTATOR	11,44
00448	* MANOPOLA - KNOB - DREHSCHALTER - POIGNEE - MANOPULA	5,28
00450	* TERMOSTATO DI SICUREZZA - SAFETY THERMOSTAT - TEMPERATURBEGRENZER - THERMOSTAT DE SURETE - TERMOSTATO DE SEGURIDAD	50,18
00458	COPERCHIO - LID - DECKEL - COUVERCLE - TAPA	37,86
00506	PROTEZIONE BULBO - PROBE PROTECTOR - FÜHLERSCHUTZ - PROTECTION SONDE - PROTECCIÓN SONDA	24,95
00518	PIEDINO H.50mm - FOOT - Fuß - PIED - PIECECILLO	3,53
00551	UGELLO Ø1.35 metano H/E/E+ 20/25Mbar - NOZZLE - DÜSE - TUYERE - INYECTOR	1,77
00552	UGELLO Ø0.88 GPL 28-30/37Mbar - NOZZLE - DÜSE - TUYERE - INYECTOR	1,77
00553	UGELLO Ø0.75 GPL 50Mbar - NOZZLE - DÜSE- TUYERE - INYECTOR	1,77
00554	UGELLO Ø1.50 metano LL 20Mbar - NOZZLE - DÜSE - TUYERE - INYECTOR	1,77
* Parti di ricambio consigliate - Suggested spare parts list - Empfohlene Ersatzteile - Pièces de rechange conseillées - Repuestos aconsejados		

5415.030.03



