


MOD: XVC515G

Pagina 1

EXPLODED VIEW DISEGNO ESPLOSO



MOD: XVC515G

EXPLODED VIEW DISEGNO ESPLOSO



DESCRIZIONE CODICI

1	OD1775A2	COPERCHIO XVC GAS XVC314/514/714
2	OD1900A0	FIANCO SX INOX XVC505
3	OD1901A0	FIANCO DX INOX XVC505
4	OF1385A1	SCHIENA XVC515G
5	OG1420B0	CARTER ARIA XVC515G
6	OG1453A0	DISTANZIALE CARTER ARIA CT GAS S.5
7	OH1450A0	ANGOLO FACCIATA MUFFOLA INOX XB-XV-XG
8	OH2551A0	TAPPO PER TUBO DI SCARICO LIQUIDI INOX C
9	OH2560A0	CONTROSTAFFA ZINCATA PORTA C.T.
10	TB1190A0	COLONNINA DX XVC505 XBC605 50x50x1.2
11	TB1191A0	COLONNINA SX XVC505 XBC605 50x50x1.2
12	TB1220A0	LIST. SUP. PORTA XVC305/505/705 20x20x1
13	TB1221A0	LIST. INF. PORTA XVC305/505/705 20x20x1
14	OH2650A0	CERNIERA INOX VETRO INTERNO XBC/XVC
15	OH4310A0	PROFILO INOX PARACALORE CRUSCOTTO STP
16	OH4305A1	DISCO TENUTA ALBERO MOTORE INOX STP
17	OP1000A0	PORTACOMPONENTI INOX XVC315/515/715G
18	OH3980A0	STAFFA DX SUPPORTO MUFFOLA INOX
19	OH3981A0	STAFFA SX SUPPORTO MUFFOLA INOX
20	MR1000A0	CAVO 3X1,5 H07RN-F MT1,5+K2/3+SCHUKO
21	CE1310A1	CAVO COLLEGAMENTO POTENZA CONTROLLO L3.5
22	CE1285A0	FERRITE EMI ROUND MOD. 2643801502
23	CE1400A0	CAVO RJ45 - RJ45 L=0,5MT
24	ED1115A0	ETICHETTA UNOX ELLISSE 235X100
25	EL1055A0	RIDUZIONE J.G. DA D=10 A D=8 PM201008E
26	EL1185A0	RACCORDO A GOMITO J.GUEST Ø8 - Ø8
27	EL1195A0	RACCORDO A GOMITO CON J.GUEST
28	EL1370A0	RIDUTTORE PRESSIONE 2 BAR CUBEAIR
29	EL1361A0	ELETTROVALVOLA TRI-STADIO JG D8-D10
30	GN1390B0	GN1000B-GUARNIZIONE PORTA XVC504-505
31	GN1045A0	GUARN. ANTIMBR. CAMINO-SCARICO
32	GN1326A0	GUARNIZIONE RES. 70X22X0.8
33	RS1215A0	RESISTENZA 1 SPIRA 147 W 105 V
35	GN1180A0	GUARNIZIONE CERNIERE VETRO INT.
36	EL1252A0	ELETTROVALVOLA H2O 1 VIA RID. VERDE
37	GN1275A0	GUARNIZIONE CAMINO SILICONE NERO XVC
38	GN1285A0	GUARNIZIONE SONDA DI TEMPERATURA NTC
39	GRL1225A0	SUPPORTO LATERALE DX INOX 7TG GN1/1
40	GRL1226A0	SUPPORTO LATERALE SX INOX 7TG GN1/1
41	PD1001A0	PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO
42	VM1745A0	SUPPORTO PER SCHEDA
43	PE1710A1	SENSORE NUMERO GIRI MOTORE
44	PE1725A3	SCHEDA POTENZA FORNI C.T. B.T. SERIE
45	PE1730B0	SCHEDA GESTIONE CENTRALINA GAS
46	EL1375A0	FILTRO ACQUA Ø8 MESH100
47	RC1170A1	DADO M14 H=8 CH=22 INOX
48	RC1210A1	RACCORDO 3/4 VALVOLA DI NON RITORNO
49	PE1740A0	ASSIEME SCHEDA CONTROLLO PE1705
50	TB1908A0	

51	TB1358A0	TUBO INT. UMIDITA' CENT. XVC515G Ø16x1
52	TB1357A0	TUBO INT. UMIDITA' SX XVC515G Ø16x1
53	TB1515A0	TUBO ESTERNO UMIDITA + RACCORDO RC1165A0
54	TB1600A0	TUBO ESTERNO UMIDITA PIU RACCORDO INOX
55	TF1010A0	BOCCOLA TEFLON CERNIERA VETRO
56	SN1002A0	SONDA AL CUORE MULTIPUNTO L=2050
57	TR1105A0	SONDA TEMPERATURA PT100 L=1000
58	TR1136A0	TERMOSTATO SIC. UNIP. 330°C
59	LP1002B0	BARRA ILLUMINAZIONE LED L400
61	VE1020A1	MICROINTERRUTTORE PORTA MAGNETICO
62	VE1030A1	CALAMITA D=22,9mm PER MICROPORTA
63	VE1135A0	ATTUATORE VENTURI 220V 50/60 Hz SERIE 2
64	VE1110A0	CONDENSATORE 6,3 µF 450VAC 50/60Hz
65	VG1001A0	FUSIBILE 5X20 1.6A
66	VI1035A1	NOTTOLINO M6x12,5 CON TAGLIO OTT.CROM.FE
68	VM1160A1	STAFFA INF. PORTA XVC204/304/504/704
69	VM1165A1	STAFFA SUP. PORTA XVC204/304/504/704
70	VM1166A0	COPERCHIO STAFFA SUPERIORE PORTA
71	VM1170B0	TAPPO FULCRO SUP. PORTA XVC204/304/504/7
72	VM1171B0	TAPPO FULCRO INF. PORTA XVC204/304/504/7
73	VM1175A0	TAPPO ESTETICO COLONNINA PORTA
75	VM1180A0	IMPUGNATURA MANIGLIA XVC204/304/504/704
76	VM1190A1	SCROCCO MANIGLIA DX XVC204/304/504/704
77	VM1191A1	SCROCCO MANIGLIA SX XVC204/304/504/704
78	VM1192A0	COPERCHIO SCROCCO MANIGLIA XVC204/304/5
79	VM1195A0	PIASTRINA COPRIFORI XVC204/304/504/704
80	VM1201A1	PIASTRINA SUPPORTO MICROPORTA MAGNETICO
81	VM1206B0	PROFILO SALVAGOCCIA PORTA XVC304/504/704
82	VM1216B0	CASSETTO RACCOGLIGOCCE XVC104/304/504/7
83	VM1220A0	CLIP FISSAGGIO CASSETTO RACCOGLIGOCCE
84	VM1230A0	CERNIERA SUP. ALLUMINIO VETRO
85	VM1231A0	CERNIERA INF. ALLUMINIO VETRO
86	VM1235A0	FERMA VETRO INTERNO SUP. XVC204/304/504
87	VM1236A0	FERMA VETRO INTERNO INF. XVC204/304/504
88	VM1260A0	CURVA A 90° RACCORDO SCARICO
90	VM1465A0	COPERCHIO Sonda TEMPERATURA CHEFTOP
91	VM1505A0	PASSAPARETE CON DIAFRAMMA
92	VM1750A0	MORSETTIERA A PETTINE
93	VN1130A0	MOTORE FORNO 330W 230V 50/60HZ
94	VN1030A4	VENTOLA D196 H81 39 PALE DADO M8
96	VT1100A0	VETRO INTERNO 633X620X6 BETFL XVC504
97	VT1101B0	VETRO ESTERNO SER. 647X743X4 CTFI XVC505
99	EL1210A0	RACCORDO J.GUEST TERMINALE DIRITTO
100	EL1020A0	RACCORDO INTERMEDIO "T" TUBO ø8

101	VM1510A0	BOCCOLA SCANALATA PERNO PORTA XBC/XVC
102	VM1511A0	BOCCOLA LISCIA PERNO PORTA CHEFTOP
103		
104	VM1556A0	PROTEZIONE VENTOLA RAFFREDDAMENTO CT-BT
105	VM1490A0	COPRI VITI MANIGLIA CHEFTOP BAKERTOP
106	VM1566A0	PORTA BOBINA SUPERIORE VENTURI
108	GN1200A0	GUARNIZIONE D=24 RACCORDO 3/4 GOMMA
109	TB1923A0	TUBO SILICONE VENTURI D25 XVC505
110	VN1120B0	VENTOLA RAFFREDDAMENTO 12V

MOD: XVC515G

EXPLODED VIEW DISEGNO ESPLOSO



DESCRIPTION

1	OD1775A2	
2	OD1900A0	XVC505 STAINLESS STEEL LEFT SIDE PANEL
3	OD1901A0	XVC505 STAINLESS STEEL RIGHT SIDE PANEL
4	OF1385A1	
5	OG1420B0	
6	OG1453A0	
7	OH1450A0	XB-XV-XG ST. STEEL MUFFLE FRONT CORNER
8	OH2551A0	XBC/XVC ST STEEL DRAIN COVER
9	OH2560A0	XBC/XVC ZINC PLAT. DOOR COUNTERBRACKET
10	TB1190A0	XVC505 XBC605 ST. STEEL RIGHT DOOR COLUMN
11	TB1191A0	XVC505 XBC605 ST. STEEL LEFT DOOR COLUMN
12	TB1220A0	XVC305/505/705 ST. STEEL DOOR UPPER BAR
13	TB1221A0	XVC305/505/705 ST. STEEL DOOR LOWER BAR
14	OH2650A0	XBC/XVC ST. STEEL INTERNAL GLASS HINGE
15	OH4310A0	MOLDED ST. STEEL HEAT-GUARD FOR PANEL
16	OH4305A1	ST. STEEL MOTOR SHAFT SEALING DISC
17	OP1000A0	XVC3/5/715G ST. ST. EL. COMPONENTS PANEL
18	OH3980A0	ST. STEEL CHAMBER RIGHT HOLDING BRACKET
19	OH3981A0	ST. STEEL CHAMBER LEFT HOLDING BRACKET
20	MR1000A0	CABLE 3X1,5 H07RN-F MITI,5-K2/3+SCHUKO
21	CE1310A1	POWER - CONTROL BOARD CONNECTING CABLE
22	CE1285A0	EMI ROUND FERRITE MOD.2643801502
23	CE1400A0	RJ45 - RJ45 CABLE L=0,5MT
24	ED1115A0	235X100 UNOX LABEL
25	EL1055A0	STRAIGHT REDUCTION FROM D=10 TO
26	EL1185A0	ELBOW CONNECTION J. GUEST Ø8 - Ø8
27	EL1195A0	ELBOW UNION WITH J.GUEST TERMINAL
28	EL1370A0	DYNAMIC PRESSURE REDUCER 2 Bar
29	EL1361A0	
30	GN1390B0	GN1000B-GUARNIZIONE PORTA XVC504-505
31	GN1045A0	ANTIVIBR SEAL FOR EXHAUST CHIMNEY
32	GN1326A0	ELEMENT SEALING 70X22X0,8
33	RS1215A0	147 W 105 V 1 TURN HEATING ELEMENT
35	GN1180A0	INTERNAL GLASS-HINGE CARBOGRAPHITE
36	EL1252A0	ONE INLET WATER VALVE J.G.CONN.
37	GN1275A0	BLACK SILICON XBC/XVC CHIMNEY SEALING
38	GN1285A0	NTC TEMPERATURE PROBE SEALING
39	GRL1225A0	7 GN1/1 ST. STEEL RIGHT LATERAL SUPPORT
40	GRL1226A0	7 GN1/1 ST. STEEL LEFT LATERAL SUPPORT
41	PD1001A0	FOOT 35X35 H26 GREY PLASTIC+RUBBER
42	VM1745A0	BOARD SUPPORT
43	PE1710A1	
44	PE1725A3	SERIES 5 CT. B.T. POWER CARD
45	PE1730B0	GAS GEARCASE CONTROL BOARD
46	EL1375A0	Ø8 MESH-100 WATER FILTER
47	RC1170A1	STAINLESS STEEL NUT M14 H=8 CH=22
48	RC1210A1	3/4 FEM. UNION +FILTER + NONRETURN VALVE
49	PE1740A0	CONTROL BOARD PE1705 + BOARD COVER
50	TB1908A0	

51	TB1358A0	
52	TB1357A0	
53	TB1515A0	STAINLESS STEEL EXTERNAL WATER
54	TB1600A0	EXTERNAL WATER PIPE + ST. STEEL JOINT
55	TF1010A0	TEFLON BUSHING FOR INTERNAL GLASS
56	SN1002A0	CORE PROBE MULTIPPOINT L=2050
57	TR1105A0	TEMPERATURE PROBE PT100 L=1000
58	TR1136A0	SAFETY THERMOSTAT UNIP. 330 °C
59	LP1002B0	LED LIGHTING BAR L400
61	VE1020A1	MAGNETIC DOOR MICROSWITCH
62	VE1030A1	MAGNET FOR DOOR MICROSWITCH D=22,9mm
63	VE1135A0	VENTURI ACTUATOR 220 V 50/60 Hz SERIES 2
64	VE1110A0	CONDENSER 6,3 µF 450VAC 50/60Hz
65	VG1001A0	FUSE 5X20 1.6A
66	VI1035A1	CHROMIUM PLATED BRASS NUT M6x12,5
68	VM1160A1	XVC204/304/504/704 LOWER DOOR BRACKET
69	VM1165A1	XVC204/304/504/704 UPPER DOOR BRACKET
70	VM1166A0	CAP FOR DOOR UPPER STIRRUP XVC204/304/5
71	VM1170B0	DOOR UPPER FULCRUM-CAP XVC204/304/504/70
72	VM1171B0	XVC204/304/504/70 DOOR LOWER FULCRUM-CAP
73	VM1175A0	DOOR COLUMN BLANKING CAP XVC204/304/504
75	VM1180A0	HANDLE HAFT XVC204/304/504/704
76	VM1190A1	RIGHT DOOR SPRING LATCH XVC204/304/504/70
77	VM1191A1	LEFT DOOR SPRING LATCH XVC204/304/504/70
78	VM1192A0	DOOR SPRING LATCH CAP XVC204/304/504/704
79	VM1195A0	HOLES BLANKING PLATE XVC204/304/504/704
80	VM1201A1	MAGNETIC SUPPORT PLATE FOR DOOR MICROSW.
81	VM1206B0	DOOR DROP PRESERVER FORM XVC304/504/704
82	VM1216B0	DRIP TRAY XVC304/504/704
83	VM1220A0	CLIP TO FIX DRIP TRAY C.T.
84	VM1230A0	UPPER ALUMINIUM HINGE FOR INTERNAL
85	VM1231A0	LOWER ALUMINIUM HINGE FOR INTERNAL
86	VM1235A0	UPPER HOOK TO STOP INNER GLASS
87	VM1236A0	LOWER HOOK TO STOP INNER GLASS
88	VM1260A0	90°C CURVED DRAIN PIPE
90	VM1465A0	CHEFTOP TEMPERATURE PROBE COVER
91	VM1505A0	WALL PASSING WITH DIAPHRAGM
92	VM1750A0	TERMINAL BOARD
93	VN1130A0	330W 230V 50/60HZ MOTOR
94	VN1030A4	MOTOR FAN D196 H81 39 BLADE NUT M8
96	VT1100A0	INNER GLASS 633X620X6 BETFL XVC504
97	VT1101B0	XVC505 EXTERNAL GLASS 647X743X4
99	EL1210A0	J. GUEST STRAIGHT END CONNECTION
100	EL1020A0	INTERMEDIATE "T" CONNECTION ø8

101	VM1510A0	XBC/XVC GROOVED DOOR PIN BUSHING
102	VM1511A0	XBC/XVC SLEEK DOOR PIN BUSHING
103		
104	VM1556A0	XBC-XVC COOLING FAN GUARD
105	VM1490A0	CHEFTOP/BAKERTOP HANDLE SCREWS COVER
106	VM1566A0	UPPER VENTURI COIL SUPPORT
108	GN1200A0	3/4 CONNECTION SEAL D=24 RUBBER+NET
109	TB1923A0	XVC505 VENTURI SILICON PIPE D25
110	VN1120B0	12V COOLING DOWN FAN



PLATON SERVICE

8 (800) 500-34-41

www.platonservice.com